


FIG. I



PROVESTONING

Back - What's Related Bookm Card/PIN Batch Maintenance Applet - Netscape A Instant Me Information ----Customer: V. PiNs in Batch PIN/Brick Information enolimore Description #25 Required Properties Pr Dales Customers Sub Custon PINS Expire Torrestory (Original Balance: 11) Current Action of the Control of the CNIS Sets Nov Business (V) Days From 1st Use PIN Properties DNIS Pin Status | Call | Rev | Call | Market | Call | Ca Days From Last Use - 252 Rate Detail New State Communication (IV) Tal Days From Last Recharge Kate Plan (Card/PIN Ba Post PiN Branding techarge/Amounts Common Co Amt Remaining Petros First Use: Force Mamber Blo MacRonavala (S200)) ChilmunVeo Rate Table ANIS Ving. NET.WOL STEEL STATES Applet com simpletel joss clients tablemaint enance, batchinest BatchMastApplet starte

250

FIG. 28

Document Done

```
CREATE TABLE pin_mast ( { NO TRUSER }
                                  CHAR (16),
      dnis set
                                    CHAR (12),
      customer_number
                           CHAR (12),
      sub_cust_number
                           CHAR (18),
      batch number
                              INTEGER.
      seq_number
                                  INTEGER.
      retail plan
                               CHAR (12),
      cust ref1
                                CHAR (15),
      cust_ref2
                                CHAR (15),
                             INTEGER,
      credit_amount
      credit_action
                            SMALLINT,
      original balance
                             INTEGER,
      amount remaining
                                INTEGER.
      amount used
                                  INTEGER.
      renewals
                                    SMALLINT.
                             DATE,
      creation date
                         DATE,
      activation_date
                         DATE,
      expiration date
                               DATE,
      first_use
      last_use
                                    DATE,
      init_exp_days
                             SMALLINT,
      last_exp_days
                             SMALLINT,
      last_vert
                               INTEGER,
 Ü
      last_horiz
                               INTEGER,
 Ui
      last lata
                               CHAR (4),
 pin status
                                CHAR (1),
      pattern_set_id
                             SMALLINT,
      post_pin_branding
                               CHAR (24),
ħ,
      hit_date
                                   DATE,
Ľ,
      hit period
                               SMALLINT,
 hit_charge
                                SMALLINT,
      hit count
                               SMALLINT,
PRIMARY KEY
                                    (pin, customer number, dnis set)
Ŋ.
                                          CONSTRAINT pin mast_pk,
Ōį.
      FOREIGN KEY
                                    (customer_number, sub_cust_number) REFERENCES
C
                                          sub_cust_mast CONSTRAINT pin_mast_fk1,
      FOREIGN KEY
4
                                    (customer number, dnis set) REFERENCES dnis set mast
                                          CONSTRAINT pin_mast_fk2,
      FOREIGN KEY
                                    (customer_number, batch_number) REFERENCES batch_mast
                                          CONSTRAINT pin_mast_fk3,
      FOREIGN KEY
                                    (pin_status) REFERENCES pin_status_mast
                                          CONSTRAINT pin_mast_fk4,
      FOREIGN KEY
                                    (customer_number, retail_plan)
                                          REFERENCES rate mast CONSTRAINT pin mast fk5
```

);

r 260

